

LED Light CATALOG

2
3

LED Grille Dash Deck Light




4
5

Work and Search Light



6

Strobe Beacon




7

Motorcycle Equipment



8
9

Siren and Speaker




10

Traffic Advisor



LED Grille Light

LED-GRT-008




Gen3rd 1W LED's, TIR type, 3pcs leds per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-023




Gen3rd 1W LED's, TIR type, 2pcs LED modules,
3pcs leds per module
11 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-006





Gen3rd 1W LED's, TIR type, 4pcs per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-021




Gen3rd 1W LED's, 3pcs per module
10 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-022




Gen3rd 1W LED's, 2pcs LED modules,
3pcs leds per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-024



Gen3rd 1W LED's, TIR type, 2pcs LED
modules, 4pcs per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-035





Gen3rd 1W LED's, TIR type, 3pcs per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-005A




Gen3rd 1W LED's, TIR type, 6pcs per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-006A




Gen3rd 1W LED's, Linear type, 4pcs per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-005



Gen3rd 1W LED's, TIR type, 6pcs leds per module
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-042




Gen3rd 1W LED's, TIR type, 20pcs module(2pcs led per module)
8pcs led module(4pcs leds per module)
Many kinds flashing patterns, water-proof Ip67
PC Lens, ABS base



AVAILABLE COLOR

LED-GRT-011




Gen3rd 1W LED's, Linear type, 6pcs per module
15 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-017





Gen3rd 1W LED's, TIR type, for Pair
6pcs led module(2pcs leds per module)
Many kinds flashing patterns, water-proof Ip67
PC Lens, ABS base



AVAILABLE COLOR

LED-GRT-041




Gen3rd 1W LED's, TIR type, 8pcs led module(4pcs leds per module)
Many kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-045




Gen3rd 1W LED's, TIR type, 2pcs LED
modules(6pcs LEDs per module)
18 kinds flashing patterns, water-proof Ip67
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-014




Gen2rd 0.5W LED's, TIR type, for single
2pcs led module(6pcs leds per module)
Many kinds flashing patterns
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-012




Gen2rd 0.5W LED's, TIR type, for single
2pcs led module(3pcs leds per module)
Many kinds flashing patterns
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-013




Gen2rd 0.5W LED's, TIR type
2pcs led module(3pcs leds per module)
Many kinds flashing patterns
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-009




Gen2rd 0.5W LED's, TIR type
2pcs led module(6pcs led per module)
Many kinds flashing patterns
PC Lens, Aluminum base



AVAILABLE COLOR

LED-GRT-010



Gen2rd 0.5W LED's, TIR type, for single
2pcs led module(8pcs led per module)
Many kinds flashing patterns
PC Lens, Aluminum base




AVAILABLE COLOR

LED dash deck lights

LED-106



.Gen3rd 1W LED's TIR type, 2pcs led module
4pcs led's per module
10 kinds flashing patterns
PC Lens, ABS base




AVAILABLE COLOR

LED-GRT-016



.Gen2rd 0.5W LED's Linear type, 2pcs module
4pcs LED per module for pair
10 kinds flashing patterns
PC Lens, ABS base




AVAILABLE COLOR

LED-GRT-016A



.Gen3rd 1W LED's Linear type,
2pcs led modules, 3pcs leds per module, for pair
10 kinds flashing patterns
PC Lens, ABS base



AVAILABLE COLOR


LED-GRT-030



.Gen3rd 1W LED's TIR type, 8pcs module
4pcs LED per module, for pair
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR


LED-GRT-003



.Gen 2rd 0.5W LED's Linear type, 2pcs led module
8pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR

LED-GRT-016B



.Gen3rd 1W LED's Linear type, 4pcs module
3pcs LED in per module, for pair
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR


LED-GRT-031



.Gen3rd 1W LED's TIR type, 6pcs led module
4pcs LED per module, for pair
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR

LED-GRT-032



.Gen 2rd 0.5W LED's TIR type, 2pcs led module
8pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR

LED-GRT-038A



.Gen3rd 1W LED's TIR type, 2pcs modules
6pcs LED per module, for pair
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR


LED-GRT-007



.Gen 2rd 0.5W LED's TIR type, 2pcs led module
8pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR



LED-GRT-033



.Gen 2rd 0.5W LED's Linear type, 2pcs led module
8pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR

LED-GRT-037



.Gen3rd 1W LED's TIR type,
1pc led module, 4pcs leds per module, for pair
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR


LED-GRT-038



.Gen3rd 1W LED's TIR type, 2pcs led modules
4pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR


LED-GRT-020



.Gen 2rd 0.5W LED's Linear type, 2pcs led module
8pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR

LED-GRT-026



.5mm LED's TIR type, 3pcs led module
1pc led module, 4pcs leds per module, for pair
16 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR

LED-GRT-025




.Gen3rd 1W LED's TIR type, 2pcs led module
4pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR

LED-GRT-001




.Gen3rd 1W LED's TIR type, 6pcs led module
3pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base



AVAILABLE COLOR

LED-GRT-002



.5mm LED's TIR type, 2pcs led modules
16 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR



GD-LED401

.Gen3rd 1W LED's TIR type, 1pcs led module
4pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR



GD-LED402

.Gen3rd 1W LED's TIR type, 2pcs led module
4pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR



GD-LED601

.Gen3rd 1W LED's TIR type, 1pcs led module
6pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base

AVAILABLE COLOR



GD-LED602

.Gen3rd 1W LED's TIR type, 2pcs led module
6pcs LED per module
10 kinds flashing patterns
PC Lens, ABS base


AVAILABLE COLOR

Work and Search Light

TRH-GRT-027B




- LED Power: 27W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Super-high intensity LEDs
- Luminous: 1750lm
- Current draw 1.7A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam (30/15 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm



TRH-GRT-027A




- LED Power: 27W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Super-high intensity LEDs
- Luminous: 1750lm
- Current draw 1.7A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam (30/15 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm



TRH-GRT-026B




- LED Power: 26W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Super-high intensity LEDs
- Luminous: 1600lm
- Current draw 1.8A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam (30/15 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm



TRH-GRT-026A



- LED Power: 26W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Super-high intensity LEDs
- Luminous: 1600lm
- Current draw 1.8A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam (30/15 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm



TRH-GRT-025




- LED Power: 15W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Super-high intensity LEDs
- Luminous: 970lm
- Current draw 0.8A @ 12V, 0.55A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam (30/15 degree)
- 30000 hours above life time
- Size: 120mm*110mm*45mm




TRH-GRT-024



- LED Power: 18W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Super-high intensity LEDs
- Luminous: 1170lm
- Current draw 1.4A @ 12V, 0.55A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam (30/15 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm




TRH-1236




- LED Power: 20W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 65
- Super-high intensity LEDs
- Luminous: 2100lm
- Current draw 1.8A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam pattern (30 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm

TRH-1272





- LED Power: 72W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 65
- Super-high intensity LEDs
- Luminous: 6800lm
- Current draw 8.4A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam pattern (30 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm

TRH-12120




- LED Power: 120W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 65
- Super-high intensity LEDs
- Luminous: 7800lm
- Current draw 8.4A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam pattern (30 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm

TRH-12180




- LED Power: 180W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 65
- Super-high intensity LEDs
- Luminous: 18000lm
- Current draw 15.6A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam pattern (30 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm

TRH-12240




- LED Power: 240W
- Operating Voltage: 10-30V DC
- Waterproof rate: IP 65
- Super-high intensity LEDs
- Luminous: 15600lm
- Current draw 15.6A @ 12V, 0.58A24V
- Optional Color: Black, White, Red, Blue, Yellow
- Color Temperature: 6500K
- Material: Diecast aluminum housing
- Beam Lens
- Optional Beam: Flood beam pattern (60 degree) or Spot beam pattern (30 degree)
- 30000 hours above life time
- Size: 120mm*110mm*55mm

TRH-GRT-002




- Internal ballast
- HID bulb: H7
- HID Power: 35W/55W
- Operating Voltage: 12V/24V
- Luminous: 3200lm/4000lm (±400lm)
- Waterproof rate: IP67
- Working Temperature: -40°C~+80°C
- Vibration: 20Gms 24-2000Hz
- Optional Color: Black
- Color Temperature: 6000K (4300K-12000K optional)
- Material: Plastic
- Optional Beam: Spot/Flood Beam
- Size: 150mm*85mm*220mm
- Material: ABS

HIDGD-3100



- Internal ballast
- HID bulb: H7
- HID Power: 35W/55W
- Operating Voltage: 12V/24V/9-32V
- Luminous: 3200lm/4000lm (±400lm)
- Waterproof rate: IP67
- Working Temperature: -40°C~+80°C
- Vibration: 20Gms 24-2000Hz
- Optional Color: Black
- Color Temperature: 6000K (4300K-12000K optional)
- Material: Plastic
- Optional Beam: Spot/Flood Beam
- Size: 150mm*85mm*220mm
- Material: ABS

HIDGD-3200




- Internal ballast
- HID bulb: H7
- HID Power: 55W/55W
- Operating Voltage: 12V
- Luminous: 3200lm/4000lm (±400lm)
- Waterproof rate: IP67
- Working Temperature: -40°C~+80°C
- Vibration: 20Gms 24-2000Hz
- Optional Color: Black
- Color Temperature: 6000K (4300K-12000K optional)
- Material: Plastic
- Optional Beam: Spot/Flood Beam
- Size: 150mm*85mm*220mm
- Material: ABS

TRH-GRT-028



- Internal ballast
- HID bulb: H7
- HID Power: 35W/55W
- Operating Voltage: 12V/24V
- Luminous: 3200lm/4000lm (±400lm)
- Waterproof rate: IP67
- Working Temperature: -40°C~+80°C
- Vibration: 20Gms 24-2000Hz
- Optional Color: Black
- Color Temperature: 6000K (4300K-12000K optional)
- Material: Plastic
- Optional Beam: Spot/Flood Beam
- Size: 150mm*85mm*220mm
- Material: ABS

TRH-GRT-021




- Internal ballast
- HID bulb: H7
- HID Power: 35W/55W
- Operating Voltage: 12V/24V
- Luminous: 3200lm/4000lm (±400lm)
- Waterproof rate: IP67
- Working Temperature: -40°C~+80°C
- Vibration: 20Gms 24-2000Hz
- Optional Color: Black
- Color Temperature: 6000K (4300K-12000K optional)
- Material: Plastic
- Optional Beam: Spot/Flood Beam
- Size: 150mm*85mm*220mm
- Material: ABS

Strobe Beacon

STB-GRT-007




- DC12V/24V
- Xenon tube
- Magnetic base with car cigarette plug




STB-GRT-022



- DC12V/24V
- Rotator type Halogen Lamp (Gear structure)
- Magnetic base with car cigarette plug




STB-GRT-005A



STB-GRT-027




- 1.1W Gen-III LED tube, Total 12 pcs LED tube;
- 2.23 kinds pattern & pattern memory
- 3.Voltage: 9-30V DC
- 4.Protection grade: IP65
- 5.Cigar with power and pattern switches
- 6.Available in various colors:red,blue,amber,white
- 7.Strong magnetic mounting




STB-GRT-029




- Voltage: DC12V/24V
- Power: 120W/150W
- Tube type: 1218 pcs Gen-III 1W led tubes
- PC lens: Aluminum base
- Cigar with power and pattern switches or wire control
- Weight: 1.4KG
- Package: 170*110*100mm




STB-GRT-005



STB-GRT-028




- 1.Gen-II 0.5W LED tube, Total 24(3x8) pcs LED tube;
- 2.Voltage: 9-30V DC
- 3.Aluminum base easy to cooling
- 4.Available in various colors, color can mix and match




STB-GRT-013



- 1.Φ SLED LED tube, Total 134 pcs LED tube, 6 Watt
- 2.Voltage: DC12V/24V
- 3.PC lenses. The base surface is plated with chromium
- 4.Available in various colors, color can mix and match
5. Packing: 80mm*70mm*40mm/25.2kg/2 pcs/1 carton



STB-GRT-012



- 1.Φ SLED LED tube, Total 44 pcs LED tube, 2 Watt
- 2.Voltage: DC12V/24V
- 3.PC lenses. The base surface is plated with chromium
- 4.Available in various colors, color can mix and match
5. Packing: 430*390*305mm/60pcs/30kg/1 carton



STB-GRT-003



- DC12V/24V
- Xenon tube
- Color: RED, BLUE, WHITE
- One power supply match with 2pcs light head



STB-905



- DC12V/24V
- LED type
- Color: RED, BLUE, AMBER, WHITE
- Working Current: >=1A
- Flash Frequency: 60 time/Min
- Magnetic base



STB-701



- DC12V/24V
- Halogen H1(55W DC12V,70W DC24V)
- Color: AMBER(Yellow)
- Rotational speed: 180 rpm Nominal
- Install:



Motorcycle Equipment

MOT-CYL-005




MOT-CYL-014




MOT-CYL-002



MOT-CYL-010



MOT-CYL-012



MOT-CYL-008



MOT-CYL-009

.DC12V/24V
.Gen 3rd 1W LED type, for pair



MOT-SPK-002



MOT-CYL-013




Electronic Siren

CJB-GRT-003




DC12V/24V
- Wireless Control (Distance >= 20M)
- 100W/150W/200W
- MIC to Talk (Distance >= 10M)
- 3 switch to Turn ON/OFF Light@12AX3
- 8 Tones include and Volume Control
- Working Temp: -40Degree + 50Degree
- Dimension: 225x108x51mm (Power amplifier)
- Dimension: 105x53x19mm (Hand Control)



CJB-GRT-001



DC12V/24V
- 100W/150W/200W
- MIC to Talk
- 2 switch to Turn ON/OFF Light@12AX2
- 8 Tones include and Volume Control
- Working Temp: -40Degree + 50Degree
- Dimension: 175x117x56mm (Power amplifier)
- Dimension: 105x43x10mm (Hand Control)



CJB-037




DC12V/24V
- 100W/200W/300W
- MIC to Talk
- 2 switch to Turn ON/OFF Light@10AX2
- 7 Tones include
- Working Temp: -40Degree + 50Degree
- Dimension: 170x105x55mm (Power amplifier)
- Dimension: 93x55x25mm (Hand Control)




CJB-GRT-008



DC12V/24V
- 100W/150W/200W
- MIC to Talk
- 2 switch to Turn ON/OFF Light@10AX2
- 8 Tones include and Volume Control
- Working Temp: -40Degree + 50Degree
- Dimension: 193x155x46mm (Power amplifier)



CJB-GRT-004



CJB-GRT-029




DC12V/24V
- 100W/200W/300W
- MIC to Talk
- 4 switch to Turn ON/OFF Light@10AX2
- 7 Tones include
- Working Temp: -40Degree + 50Degree
- Dimension: 170x105x55mm (Power amplifier)
- Dimension: 93x55x25mm (Hand Control)



CJB-GRT-100



DC12V/24V
- 100W/150W/200W/300W/400W
- MIC to Talk
- 2 switch to Turn ON/OFF Light@10AX2
- 7 Tones include and Volume Control
- Working Temp: -40Degree + 50Degree
- Dimension: 148x148x55mm (Power amplifier)
- Dimension: 105x50x10mm (Hand Control)



MOT-SPK-002



DC12V/24V
- 80W/120W
- MIC to Talk
- 1 switch to Turn ON/OFF Light
- 4 Tones include and Volume Control
- Working Temp: -40Degree + 50Degree


Controller (Water-proof)

Wireless Microphone to talk

CJB-GRT-003A



DC12V/24V
- Wireless Control (Distance >= 20M)
- 100W/150W/200W
- MIC to Talk (Distance >= 10M)
- 3 switch to Turn ON/OFF Light@12AX3
- 8 Tones include and Volume Control
- Working Temp: -40Degree + 50Degree
- Dimension: 225x108x51mm (Power amplifier)
- Dimension: 110x52x25mm (Hand Control)



Horn Speaker

HSK-GRT-001



HSK-GRT-002




HSK-GRT-003




HSK-GRT-013



HSK-GRT-012




HSK-GRT-021




HSK-GRT-009



HSK-GRT-008




HSK-200



HSK-GRT-022



HSK-GRT-023




HSK-GRT-006




HSK-100M



HSK-100



HSK-300



Traffic Advisor

DRL-RGB-008




DRL-RGB-008A



DRL-GRT-006




DRL-GRT-008A



DRL-GRT-009L



DRL-GRT-013



56mm for Left or Right


DRL-GRT-007



DRL-GRT-001



DRL-GRT-015



60mm for Left or Right

DRL-GRT-012



DRL-GRT-002

